
PRINCE STREET ELEMENTARY SCHOOL, PHASE 2, 400 PRINCE STREET, SALISBURY, MARYLAND



FASTENER LEN THE LENGTH OF SUIT THE COND FASTENER SPA ALL FASTENER FRAMING MANU INSTRUCTIONS NOTE: APPLY	F EACH FASTENER SHOULD BE DETERM DITION FOUND AT THE DETAIL WHERE IT	IS USED. ITHIN THE N IN
FASTENER DESIGNATION:	FASTENER DESCRIPTION:	USE WITH A PLASTIC EXPANSION ANCHOR:
F1	#8 PHILLIPS PAN HEAD (PPH) WOOD SCREW	YES NO
F2	#8 PHILLIPS FLAT HEAD (PFH) WOOD SCREW	YES NO
F3	#8 PHILLIPS PAN HEAD (PPH) SELF DRILLING SHEET METAL SCREW	NOT APPLICABLE
F4	#8 PHILLIPS FLAT HEAD (PFH) SELF	NOT

FASTENER	FASTENER	USE WITH A PLASTIC EXPANSION
DESIGNATION:	DESCRIPTION:	ANCHOR:
F1	#8 PHILLIPS PAN HEAD (PPH) WOOD SCREW	YES NO
F2	#8 PHILLIPS FLAT HEAD (PFH) WOOD SCREW	YES NO
F3	#8 PHILLIPS PAN HEAD (PPH) SELF DRILLING SHEET METAL SCREW	NOT APPLICABLE
F4	#8 PHILLIPS FLAT HEAD (PFH) SELF DRILLING SHEET METAL SCREW	NOT APPLICABLE
F5	#10 PHILLIPS PAN HEAD (PPH) WOOD SCREW	YES NO
F6	#10 PHILLIPS FLAT HEAD (PFH) WOOD SCREW	YES NO
F7	#10 PHILLIPS PAN HEAD (PPH) SELF DRILLING SHEET METAL SCREW	NOT APPLICABLE
F8	#10 PHILLIPS FLAT HEAD (PFH) SELF DRILLING SHEET METAL SCREW	NOT APPLICABLE
F9 >	#12 PHILLIPS FLAT HEAD (PFH) WOOD SCREW	YES NO
F10>	#12 PHILLIPS FLAT HEAD (PFH) WOOD SCREW	YES NO
F11>	#12 PHILLIPS FLAT HEAD (PFH) SHEET METAL SCREW	YES NO
F12>	#14 PHILLIPS FLAT HEAD (PFH) WOOD SCREW	YES NO
F13>	1/4"-20 PHILLIPS FLAT HEAD (PFH) MACHINE SCREW	NOT APPLICABLE
F14>	1/4"-20 PHILLIPS PAN HEAD (PPH) MACHINE SCREW	NOT APPLICABLE
F15>	1/4"-20 PHILLIPS FLAT HEAD (PFH) THREADCUTTING SCREW	NOT APPLICABLE
F16	1/4"-20 PHILLIPS PAN HEAD (PPH) THREADCUTTING SCREW	NOT APPLICABLE
F17	3/8"-16 HEX HEAD BOLT WITH (2) FLAT WASHERS, (1) LOCK WASHER AND A 3/8" NUT	NOT APPLICABLE
F18	3/8"-16 WEDGE ANCHOR WITH (1) LOCK WASHER AND A 3/8" NUT	NOT APPLICABLE

ARCHITECT'S NOTES, STAMPS OR

NONE A 1" AZURIA, HEAT-STRENGTHENED/ANNEALED INSULATED GLASS UNIT CONSISTING OF:
1/4" AZURIA, HEAT-STRENGTHENED O.B. LITE 1/2" AIR SPACE
1/4" CLEAR ANNEALED ENERGY ADVANTAGE LOW-E #3 SURFACE, I.B. LITE
NONE B 1" AZURIA, TEMPERED/TEMPERED INSULATED GLASS UNIT CONSISTING OF: 1/4" AZURIA, TEMPERED O.B. LITE 1/2" AIR SPACE
1/4" CLEAR TEMPERED ENERGY ADVANTAGE LOW-E #3 SURFACE, I.B. LITE
NONE 1" AZURIA, HEAT-STRENGTHENED/HEAT-STRENGTHENED INSULATED SPANDREL GLASS UNIT CONSISTING OF:
1/4" AZURIA, HEAT-STRENGTHENED O.B. LITE 1/2" AIR SPACE
1/4" CLEAR HEAT-STRENGTHENED WITH THE MANUFACTURERS CERAMIC FRIT CAOTING #4
SURFACE, I.B. LITE. COLOR OF FRIT TO BE
SELECTED FROM THE MANUFACTURER'S STANDARD COLORS. COLOR:
NONE 1/4" CLEAR, ANNEALED GLASS
NONE E 1/4" CLEAR, TEMPERED GLASS
NOTE: ALL SAFETY GLASS LOCATIONS WERE LOCATED USING THE BOCA NATIONAL BUILDING CODE/1999 AND/OR THE INTERNATIONAL BUILDING CODE/2000, AND LOCATIONS AS NOTED WITHIN THE ARCHITECTURAL DRAWINGS.

ARCHITECT'S GLASS REFERENCES

TOTAL:	ELEVATION	FRAMING		ΔRF	======================================		
A	ELEVATION TYPE:	1	"Λ"			ME 77 A NINE	TOTAL:
B	Λ	VG 451T		_	_	TILZZAMINL	1
C 2*Y6 4517 - 2 2 C 2*Y6 4517 2 2 C 2*Y6 4517 2 2 E 2*Y6 4517 2 - 2 F 2*Y6 4517 1 - 7 G 3*Y6 4517 1 - 1 H 2*Y6 4517 1 1 - 1 H 2*Y6 4517 1 1 - 1 H 2*Y6 4517 1 1 1 J 2*Y6 4517 - 1 1 J 2*Y6 4517 1 1 1 J 2*Y6 4517 - 1 1 2 J 2*Y6 4517 1 1 1 J 2*Y6 4517 - 1 1 2 J 2*Y6 4517 1 1 1 J 2*Y6 4517 1 J 2*Y6 4517 1 J 2*Y6 4517		VG 451T	·	,	6		·
D		VG 451T					
E 27 x 4 1/27 - 2 2 - 2 F 27 x 4 1/27 7 7 - 7 G 27 x 4 1/27 7 7 - 7 G 27 x 4 1/27 1 1 - 1 H 27 x 4 1/27 2 1 1 3 1 27 x 4 1/27 1 1 1 3 I 27 x 4 1/27 1 1 1 1 K 27 x 4 1/27 1 1 1 1 - 2 K 27 x 4 1/27 1 1 - 1 1 L 27 x 4 1/27 1 1 - 1 1 M 27 x 4 1/27 1 1 1 1 - 2 M 27 x 4 1/27 1 1 1 1 - 2 M 27 x 4 1/27 1 1 1 1 - 2 M 27 x 4 1/27 1 1 1 1 - 2 M 27 x 4 1/27 1 1 1 1 - 2 N 27 x 4 1/27 1 1 1 1 - 2 N 27 x 4 1/27 1 1 1 1 - 2 O 27 x 4 1/27 1 1 1 1 1 P 27 x 4 1/27 1 1 1 1 1 P 27 x 4 1/27 1 1 1 1 1 P 27 x 4 1/27 1 1 1 1 1 P 27 x 4 1/27 1 1 1 1 1 P 27 x 4 1/27 1 1 1 1 1 P 27 x 4 1/27 1 1 1 1 1 P 27 x 4 1/27 1 1 1 1 1 P 27 x 4 1/27 1 1 1 1 1 P 27 x 4 1/27 1 1 1 1 P 27 x 4 1/27 1 1 1 1 P 27 x 4 1/27 1 1 1 1 P 27 x 4 1/27 1 1 1 1 P 27 x 4 1/27 1 1 1 1 V 27 x 4 1/27 1 1 1 1 V 37 x 4 1/27 1 1 1 1 V 37 x 4 1/27 1 1 1 1 V 37 x 4 1/27 1 1 1 1 W 27 x 4 1/27 1 1 1 1 W 27 x 4 1/27 1 1 2 2 X 13x x 4 1/27 1 1 2 2 X 13x x 4 1/27 1 1 2 2 X 13x x 4 1/27 1 1 1 2 2 X 13x x 4 1/27 1 1 1 - 1 1 D 1 3x x 4 1/27 1 1 1 - 1 1 D 1 3x x 4 1/27 1 1 1 1 D 1 3x x 4		VG 451T					
F 27 5 17 2 1		VG 451T		_		_	
Company Comp		VG 451T	-	-		-	
H 2" 4 1 2 1 -		VG 451T	-	_		-	
		VG 451T	-			-	·
R		VG 451T			-	-	
N		2" x 4 1/2" VG 451T	·		-	-	
M 27 x 4 1/2		2" x 4 1/2"	·	-	-	-	
M		2" x 4 1/2"		-	1	-	
N		2" x 4 1/2"	·	-	-	-	
D		2" x 4 1/2"	4	4	-	-	
P		2" x 4 1/2"	-	_	1	-	·
R 2° x 4 1/2° 1 1 R 2° x 4 1/2° - 1 1 S 13/4 x 4 1/2° 1 1 T 2/0° x 5 1/2° 1 1 T 2/0° x 5 1/2° 1 1 U 2° x 4 1/2° 1 1 U 2° x 4 1/2° 1 1 V 13/4 x 4 1/2° 1 1 V 13/4 x 4 1/2° 1 1 W 2° x 4 1/2° 1 1 1 W 2° x 4 1/2° 1 1 2 X 13/4 x 4 1/2° 1 1 2 X 13/4 x 4 1/2° 1 1 2 Y 2° x 4 1/2° 2 Z 13/4 x 4 1/2° 2 2 - 2 Z 13/4 x 4 1/2° 2 2 - 2 Z 13/4 x 4 1/2° 1 1 - 1 B1 13/4 x 4 1/2° 1 1 - 1 B1 13/4 x 4 1/2° 1 1 - 1 C1 1 3/4 x 4 1/2° 1 1 - 1 C1 1 3/4 x 4 1/2° 1 1 - 1 C1 1 3/4 x 4 1/2° 1 1 - 1 C1 1 3/4 x 4 1/2° 1 1 - 1 C1 1 3/4 x 4 1/2° 1 1 - 1 C1 1 3/4 x 4 1/2° 1 1 - 1 D1 1 3/4 x 4 1/2° 1 1 1 1 E1 1 3/4 x 4 1/2° 1 1 1 1 E1 1 3/4 x 4 1/2° 1 1 1 1 G1 1 3/4 x 4 1/2° 1 1 1 1 H1 13/6 x 5 1/2° 1 1 1 1 H1 13/6 x 5 1/2° 1 1 1 1 H1 13/6 x 5 1/2° 1 1 1 1 H1 13/6 x 5 1/2° 1 1 1 1 H1 13/6 x 5 1/2° 1 1 1 1 H1 13/6 x 5 1/2° 1 1 1 1 H1 13/6 x 5 1/2° 1 1 1 1 H1 13/6 x 5 1/2° 1 1 1 1 H1 13/6 x 5 1/2° 1 1 1 1 H1 13/6 x 5 1/2° 1 1 1 1 H1 13/4 x 5 1/2° 1 1		2" x 4 1/2"	·	1	_	-	2
S 13/4" x 6 1/2" 1 1 S 13/4" x 6 1/2" 1 1 T 26/00 SYS1 1 1 U 276 6 517 V 36/4 50 2 1 1 V 276 4 517 V 36/4 50 2 1 1 W 276 4 517 V 36/4 50 2 1 1 W 276 4 517 Y 276 4 517 Y 276 4 517 Y 276 4 517 2 Z 13/4" x 6 1/2" 2 Z 13/4" x 6 1/2" 2 Z 2 1/4 1/2" 2 Z 3/4" x 6 1/2" 2 Z 16/4 5 1/2" 2 Z 176 4 50 13/4" x 6 1/2" 1 D1 13/4" x 6 1/2" 1 D1 13/4" x 6 1/2" 1 D1 13/4" x 6 1/2" 1 1 E1 13/4" x 6 1/2" 1 1	Q	2" x 4 1/2"	1	-	_	-	1
T 134" x 4 1/2" 1	R	2" x 4 1/2"	-	1	-	-	1
U 2''x 4 1/2" 1 1 V 3(4 50) 1 1 W 2''x 4 1/2" 1 1 W 2''x 4 1/2" 1 1 1 W 2''x 4 1/2" 1 1 2 X 13/4" x 4 1/2" 1 1 2 X 13/4" x 4 1/2" 2 Y 2''x 4 1/2" 2 Z 3/4" x 4 1/2" 2 A1 2''x 4 1/2" 2 A1 2''x 4 1/2" 1 B1 13/4" x 4 1/2" 1 B1 13/4" x 4 1/2" 1 1 C1 13/4" x 4 1/2" 1 1 C1 13/4" x 4 1/2" 1 1 C1 13/4" x 4 1/2" 1 1 E1 13/4" x 4 1/2" 1 1 E1 13/4" x 4 1/2" 1 1 E1 13/4" x 4 1/2" 1 1 F1 13/4" x 4 1/2" 1 1 G1 2'' x 4 1/2" 1 1 H1 3/4" x 4 1/2" 1 1 G1 13/4" x 4 1/2" 1 1 H1 13/4" x 4 1/2" 1 1 G1 13/4" x 4 1/2" 1 1 H1 13/4" x 4 1/2"	S	1 3/4" x 4 1/2"	1	-	-	-	1
U 2" x 4 1/2" 1 - - - 1 V 13/4" x 4 1/2" 1 - - - 1 W 2" 5 5 11 1 1 - - 2 X 13/4" x 4 1/2" 1 1 - - 2 X 13/4" x 4 1/2" - - 2 - 2 Y 2" x 6 1/2" - - 2 - 2 Y 2" x 6 1/2" - - 2 - 2 Z 13/4" x 4 1/2" - - 1 - 1 M 2" x 6 1/2" - - 1 - 1 M 2" x 6 1/2" - - 1 - 1 B1 13/4" x 4 1/2" - - 1 - 1 B1 13/4" x 4 1/2" 1 - - 1 D1 13/4" x 4 1/2" 1 - - 1 D1 13/4" x 4 1/2" 1 - - 1 E1 13/4" x 4 1/2" 1 - - 1 E1 13/4" x 4 1/2" 1 - - 1 G1 13/4" x 4 1/2" 1 - - 1 G1 13/4" x 4 1/2" 1 - - 1 G1 13/4" x 4 1/2" 1 - - 1 H1 13/4" x 4 1/2" 1 - - 1 H1 13/4" x 4 1/2" 1 - - 1 J1 13/4" x 4 1/2" 1 - - 1 J1 13/4" x 4 1/2" 1 - - 1 J1 13/4" x 4 1/2" 1 - - 1 J1 13/4" x 4 1/2" 1 - - 1 J1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - - 1 M1 13/4" x 4 1/2" 1 - M1 13/4" x 4 1/2" 1 -	T	2 1/2" x 5 1/4"	1	-	-	-	1
Y 13/4" x 4 1/2" 1 1 1 - 2	U	2" x 4 1/2"	1	-	-	-	1
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	V	1 3/4" x 4 1/2"	1	_	-	-	1
Y	W	2" x 4 1/2"	1	1	_	-	2
7 2" x 4 1/2" 2 - 2 Z 13/4" x 4 1/2" 2 - 2 A1 2" x 4 1/2" 1 - 1 B1 13/4" x 4 1/2" 1 - 1 B1 13/4" x 4 1/2" 1 - 1 C1 13/4" x 4 1/2" 1 D1 13/4" x 4 1/2" 1 1 E1 13/4" x 4 1/2" 1 1 E1 13/4" x 4 1/2" 1 1 F1 13/4" x 4 1/2" 1 1 G1 13/4" x 4 1/2" 1 1 G1 13/4" x 4 1/2" 1 1 G1 13/4" x 4 1/2" 1 1 H1 13/4" x 4 1/2" 1 1 H1 13/4" x 4 1/2" 1 1 H1 2/6 450 1 1 1 H1 13/4" x 4 1/2" 1 1 H1 13/4" x 4 1/2" 1 1 H1 2/6 450 1 1 1 H1 2/6 450 1 1 1 H1 13/4" x 4 1/2" 1 1	X	1 3/4" x 4 1/2"	1	1	-	-	2
A1	Y	2" x 4 1/2"	-	_	2	-	2
B1	Z	1 3/4" x 4 1/2"	-	-	2	-	2
C1	A1	2" x 4 1/2"	-	_	1	-	1
D1 13/4" x 4 1/2" 1 - - - 1 E1 15/4" x 4 1/2" 1 - - - 1 E1 15/4" x 4 1/2" 1 - - - 1 E1 13/4" x 4 1/2" 1 - - - 1 F1 13/4" x 4 1/2" 1 - - - 1 G1 15/4" x 4 1/2" 1 - - - 1 G1 15/4" x 4 1/2" 1 - - - 1 G1 15/4" x 4 1/2" 1 - - - 1 H1 15/4" x 4 1/2" 1 - - - 1 H1 15/4" x 4 1/2" 1 - - - 1 H1A 15/4" x 4 1/2" 1 - - - 1 J1 15/4" x 4 1/2" 1 - - - 1 J1 15/4" x 4 1/2" 1 - - - 1 K1 15/4" x 4 1/2" 1 - - - 1 K1 15/4" x 4 1/2" 1 - - - 1 K1 15/4" x 4 1/2" 1 - - - 1 M1 15/4" x 4 1/2" 1 - - - 1 M1 15/4" x 4 1/2" 1 - - - 1 M1 15/4" x 4 1/2" 1 - - - 1 M1 15/4" x 4 1/2" 1 - - - 1 P1 1600 SYS 1 1 - - - 1 E1 1600 SYS 1 1 - - - 1 T1 1600 SYS 1 1 - - - 1 U1 21/2" x 71/2" 1 - - - 1 U1 21/2" x 71/2" 1 - - - 1 U1 21/2" x 71/2" 1 - - - 1 U1 21/2" x 71/2" - 1 - - 1 U1 21/2" x 71/2" - 1 - - 1 U1 21/2" x 71/2" - 1 - - 1 U2 21/2" x 71/2" - 1 - - 1 U3 21/2" x 71/2" - 1 - - 1 U4 V6 451T V6 451T V6 451T V6 451T U5 V6 450T V6 451T V6 451T U5 V6 450T V6 451T V6 451T U5 V6 450T V6 451T V6 451T U6 V6 450T V6 451T V6 451T U7 V6 450T V6 451T V7 40T U7 V6 450T V6 451T V6 451T U7 V6 450T V6 451T U8 V6 450T V6 451T U8 V6 450T V6 451T U8 V6 450T V6 450T U8 V6 450T U8	B1	1 3/4" x 4 1/2"	_	-	1	-	1
E1	C1	1 3/4" x 4 1/2"	1	-	-	-	1
F1	D1	VG 450 13/4" x 4 1/2"	1	-	-	-	1
G1	E1	VG 450 13/4" x 4 1/2"	1	-	-	-	1
G1	F1	VG 450 13/4" x 4 1/2"	1	_	-	-	1
H1	G1	VG 450 13/4" x 4 1/2"	1	_	-	-	1
H1	G1A	VG 450 13/4" x 4 1/2"	1	_	-	-	1
HIA 13/4" x 4 1/2"	H1	1 3/4" x 4 1/2"	1	_	_		1
J1	H1A	VG 450 13/4" x 4 1/2"	1	_	_	-	1
N1	J1		1	_	_	-	1
N1	J1A		1	_	_	-	1
M1	K1		1	-	-	-	1
M1	L1	VG 450	1	_	-	-	1
N1 13/4" x 4 1/2" 1 - - - 1 01 13/4" x 4 1/2" 1 - - - 1 P1 1600 SYS 1	M1	VG 450 13/4" x 4 1/2"	1	_	-	-	1
01	N1	VG 450	1	_	_	-	1
P1	01	VG 450	1	_	_	-	1
Q1 1600 SYS 1 2 1/2" x 7 1/2" 1 - - 1 R1 1600 SYS 1 2 1/2" x 7 1/2" - - - 1 1 S1 1600 SYS 1 2 1/2" x 7 1/2" 1 - - - 1 T1 1600 SYS 1 2 1/2" x 7 1/2" 1 - - - 1 U1 1600 SYS 1 2 1/2" x 7 1/2" - 1 - - 1 V4 VG 451T 10 10 10 10	P1	1600 SYS 1	1	_	-	-	1
R1	Q1	1600 SYS 1	1	_	_	-	1
S1	R1	1600 SYS 1	_	_	_	1	1
T1	S1		1	_	_	_	1
U1	T1	1600 SYS 1	1	_	_	_	1
V4 VG 451T		1600 SYS 1	_	1	_	_	1
1 / 3 4 1/ / 1		VG 451T	_	_	_	18	

1. FRAMING SYSTEMS USED ON THIS PROJECT.

EXTERIOR CURTAIN WALL FRAMING:

KAWNEER SERIES 1600 SYSTEM -1, 2 1/2" X 7 1/2" CURTAIN WALL FRAMING OPEN FOR 1"

INTERIOR CURTAIN WALL FRAMING:

KAWNEER SERIES 1600 SYSTEM -1, 2 1/2" X 5 1/4" CURTAIN WALL FRAMING OPEN FOR 1/4"

GLAZING. EXTERIOR STOREFRONT FRAMING:

KAWNEER SERIES TRIFAB VG 451T, 2" X 4 1/2" CENTER PLANE, EXTERIOR GLAZE THERMAL FLUSH GLAZE FRAMING OPEN FOR 1" GLAZING.

INTERIOR STOREFRONT FRAMING:

KAWNEER SERIES TRIFAB VG 450, 1 3/4" X 4 1/2" CENTER PLANE FLUSH GLAZE FRAMING OPEN FOR 1/4" GLAZING.

SEE THE ELEVATION SCHEDULE AND DRAWINGS HEREIN FOR QUANTITIES, CONFIGURATIONS AND

LOCATIONS. SEE THE GLASS SCHEDULE FOR ALL GLAZING REQUIREMENTS. 2. SUNSHADE SYSTEM USED ON THIS PROJECT...

KAWNEER SERIES 1600 SUNSHADE. SEE THE ELEVATION SCHEDULE AND DRAWINGS HEREIN FOR QUANTITIES, CONFIGURATIONS AND LOCATIONS.

DOOR TYPES USED ON THIS PROJECT...

KAWNEER KAWNEER SERIES 500-HW WIDE STILE DOORS OPEN FOR 1" GLAZING. SEE THE DOOR SCHEDULE ON SHEET #2 AND DRAWINGS HEREIN FOR QUANTITIES, CONFIGURATIONS AND LOCATIONS. SEE THE DOOR HARDWARE SCHEDULE ON SHEET #2 FOR ALL ASSOCIATED DOOR HARDWARE REQUIREMENTS.

4. WINDOW SYSTEMS USED ON THIS PROJECT...

KAWNEER

KAWNEER SERIES "GLASSVENT" PROJECT-OUT WINDOWS OPEN FOR 1" GLAZING. SEE THE DRAWINGS HEREIN FOR QUANTITIES, CONFIGURATIONS AND LOCATIONS. SEE THE WINDOW HARDWARE SCHEDULE ON SHEET #2 FOR ALL ASSOCIATED WINDOW HARDWARE REQUIREMENTS. 5. FINISH OF EXPOSED ALUMINUM:

ALL 1600 CURTAIN WALL FRAMING AND ASSOCIATED DOORS SHALL RECEIVE:

THE MANUFACTURER'S #391X035 "BONE WHITE" KYNAR 500, VALSPAR, 3-COAT WITH CLEAR COAT PAINTED FINISH. ARCHITECT NOTE:

PLEASE VERIFY FINISH OF 1600 CURTAIN WALL ASSOCIATED 500 HW DOORS.

ALL 1600 SUNDHADE SHALL RECEIVE:

THE MANUFACTURER'S #391X035 "BONE WHITE" KYNAR 500, VALSPAR, 3-COAT WITH CLEAR COAT PAINTED FINISH.

ALL VG 451T & VG 450 FRAMING AND ASSOCIATED DOORS SHALL RECEIVE:

THE MANUFACTURER'S #397X364 "ANTIQUE BRONZE" KYNAR 500, VALSPAR, 3-COAT WITH

CLEAR COAT PAINTED FINISH.

ALL "GLASSVENT" PROJECT-OUT VENTS SHALL RECEIVE: THE MANUFACTURER'S #397X364 "ANTIQUE BRONZE" KYNAR 500, VALSPAR, 3-COAT WITH

CLEAR COAT PAINTED FINISH. 6. MISCELLANEOUS ALUMINUM FLASHING AND/OR TRIM:

ALUMINUM FLASHING AND/OR TRIM TO BE PROVIDED ONLY IF/WHERE SHOWN WITHIN THESE SHOP DRAWINGS. ALL ALUMINUM FLASHING AND/OR TRIM TO BE .040 UNLESS OTHERWISE NOTED. SEE THE DETAILS WITHIN FOR CONFIGURATIONS AND LOCATIONS. FINISH SHALL MATCH THE ASSOCIATED FRAMING FINISHES.

EXTERIOR/PERIMETER: ONE PART POLYURETHANE SEALANT IN A MANUFACTURER'S STANDARD

INTERIOR/PERIMETER: FURNISHED AND INSTALLED ONLY WHERE NOTED AT THE DETAILS ON THIS

SHOP DRAWING

BEDDING/SEALING: ONE PART POLYURETHANE OR BUTYL SEALANT IN ANY COLOR (SINCE IT IS

ARCHITECT/G.C. NOTE:

ADDED STRUCTURAL WOOD BLOCKING BY OTHERS HAS BEEN SHOWN AT VARIOUS DETAILS FOR THE PURPOSE OF ANCHORING THE FRAMING SYSTEMS ON THIS SHOP DRAWING AND/OR TO AVOID THRUWALL FLASHING PENETRATIONS. IT SHALL NOT BE THE RESPONSABILITY OF CHARLES BROWN GLASS TO INSURE THAT THE PERIMETER ANCHORING CONSTRUCTION WILL ACCOMODATE THE IMPOSED BUILDING LOADS. ALL STRUCTURAL WOOD BLOCKING IS NOT BY CHARLES BROWN GLASS.

AND GUIDELINES.

THE SHOP DRAWINGS.

ACCURATE DRAFTING, INC. DRAWING GUIDELINES

SHOULD BE BASED ON ACTUAL CONDITIONS AND/OR CONSTRUCTION MATERIALS FOUND ON SITE.

MATERIALS AND PRIOR TO THE FABRICATION AND INSTALLATION OF ANY MATERIALS.

WINDLOAD/DEADLOAD REQUIREMENTS OUTLINED IN THE SPECIFICATIONS.

ALL PART NUMBERS SHOWN ON THIS SHOP DRAWING SHOULD BE VERIFIED PRIOR TO ORDERING MATERIALS. ALL DIMENSIONS SHOWN ON THIS SHOP DRAWING SHOULD BE CHECKED/VERIFIED PRIOR TO THE ORDERING OF ANY

ALL STEEL CLIP ASSY'S AND INTERNAL STEEL REINFORCING SHOWN ON THIS SHOP DRAWING ARE FOR REFERENCE

PERFORMED IN ACCORDANCE WITH INDUSTRY STANDARDS AND THE RESPECTIVE MANUFACTURER'S INSTRUCTIONS

UNLESS OTHERWISE NOTED, THESE DRAWINGS WERE PREPARED WITHOUT THE BENEFIT OF STRUCTURAL DRAWINGS. THIS MAY AFFECT THE LOCATION AND SIZING OF STEEL CLIP CONNECTIONS AND SPLICE JOINTS. THE STRUCTURAL

SHOP DRAWING DISCLAIMER: THIS DISCLAIMER APPLIES TO ACCURATE DRAFTING'S CUSTOMER AS WELL AS ANY PARTY USING THESE DRAWINGS TO OBTAIN INFORMATION NEEDED TO ORDER, COORDINATE, FABRICATE AND INSTALL MATERIALS FOR THIS PROJECT. THIS APPLIES ALSO TO TRADES OTHER THAN GLASS AND GLAZING.

**THIS SHOP DRAWING IS AN INTERPRETATION OF THE ARCHITECT'S DRAWINGS BY ACCURATE DRAFTING COMPAN THIS DRAWING WAS GENERATED FOR ACCURATE DRAFTING'S CUSTOMER. THE INTERPRETATION OF THE ARCHITECT

DRAWINGS IS AFFECTED BY THE INFORMATION GIVEN TO ACCURATE BY IT'S CUSTOMER AS WELL AS INDUSTRY STANDARDS AND MANUFACTURER TECHNICAL INFORMATION. IN CASES WHERE ACCURATE IS NOT PROVIDED WITH

THE NECESSARY INFORMATION IT WILL BE ACCURATE'S DECISION WHETHER TO ASSUME, EXTRAPOLATE OR OMIT

INCLUDES, BUT IS NOT LIMITED. TO THE FOLLOWING ITEMS: DIMENSIONS, QUANTITIES, HANDING OF DOORS/FRAME COLORS, THICKNESSES, SAFETY GLASS, GLASS TYPES, COATING TYPES, COATING LOCATIONS, DOOR STILE

TYPES, FRAMING TYPES, HARDWARE, ALIGNMENT OF HORIZONTAL AND/OR VERTICAL FRAMING MEMBERS WITH ARCHITECTURAL ACCENTS/TRIM. ACCURATE DRAFTING NOR IT'S DRAFTSMAN SHALL BE LIABLE OR RESPONSIBLE FINANCIALLY FOR ANY FRRORS AND/OR OMISSIONS FROM THESE SHOP DRAWINGS. ARCHITECTURAL AND/OR CONTRACTOR APPROVAL DOES NOT RELEIVE ACCURATE'S CUSTOMER FROM REVIEWING THESE DRAWINGS AS NOT NOTE: IN CASES WHERE NO ARCHITECTURAL DRAWINGS WERE PROVIDED TO ACCURATE THE SAME DISCLAIMER ITEMS NOTED ABOVE STILL APPLY TO WHATEVER INFORMATION WAS PROVIDED TO ACCURATE TO PERFORM

THIS INFORMATION IN ORDER TO COMPLETE THE SHOP DRAWINGS. IT IS THE RESPONSIBILITY OF ACCURATE'S CUSTOMER (OR THE END USER IF APPLICABLE) TO REVIEW THE SHOP DRAWINGS. REVIEW OF THE SHOP DRAWINGS

ONLY. ACTUAL STEEL SIZES AND THICKNESSES SHOULD BE DETERMINED BY OTHERS BASED ON THE ARCHITECT'S

FABRICATION AND INSTALLATION OF THE FRAMING AND GLASS SHOWN ON THIS SHOP DRAWING SHOULD BE

UNLESS OTHERWISE NOTED, THESE DRAWINGS WERE PREPARED WITHOUT THE BENEFIT OF ARCHITECTURAL DRAWINGS. SOME PERIMETER CONDITIONS MAY BE SHOWN AS UNKNOWN. THESE CONDITIONS SHOULD BE VERIFIED

LAYOUT IN THESEAREAS SHOULD BE VERIFIED PRIOR TO FABRICATION AND INSTALLATION OF THE WORK.

PRIOR TO FABRICATION AND INSTALLATION FOR THEIR EFFECT ON THE WORK BEING PERFORMED.

ALL FASTENERS SHOWN ON THIS SHOP DRAWING ARE FOR REFERENCE ONLY. ACTUAL FASTENER TYPES AND SIZES

DRAV DATE SCAL ELEV DETA

JC. 3518 , ain -18 ARED E

A T

10 Dr

10 S87-INGS PREPA CUR, Foxdal e #: (757)

DRAWII
ACI
8126
Phone
Accurat

 \bigcirc

 \bigcirc \triangleleft $N \sim 0$ 7 % ~ HARLES 581 HOBBS ALISBURY HONE: 411

U 9 S G I


AN GROUP SBURY, MARYLA NTARY SCHOOMARYLAND CE STREET ELEMEN E ST., SALISBURY, S GILKERSON, INC. Y, MARYLAND F: BECKER MORGA N ST. #300, SALIS

PRINCE SPRINCE SILLIS ISBURY, W. MAIN 7 7 7 8 7 8 PRINCE STREET ELEMENTRAY PHASE 2

SCALE: AS NOTED DETAILS 1/2 SIZE SHEET #:

TOTAL SHEETS: 33

DETAIL APPEARS.						
	Т	T				
REVISION #	DATE	BY				
REVISI	UNIC					
	0113					



VERIFY ALL DIMENSIONS

WINDOW HARDWARE:

KAWNNER SERIES GLASSVENT EACH PROJECT-OUT VENT TO RECEIVE: (2) EACH STAINLESS STEEL FOUR BAR FRICTION HINGES. (2) EACH WHITE BRONZE CAM LOCK/HANDLE

(1) EACH MANUFACTURER'S STANDARD WICKET INSECT SCREEN.

THIS SHOP DRAWING WAS GENERATED FROM THE FOLLOWING ARCHITECTURAL DRAWING SHEETS AND DATES:

ARCHITECTURAL	RE\	/ISIONS	ARCHITECTURAL	REVISIONS		
SHEET:	NA	3	SHEET:	NA	3	
A101	NA	04-18-06	A313	NA	04-18-06	
A101A	NA	04-18-06	A 314	NA	04-18-06	
A101B	NA	04-18-06	A315	NA	04-18-06	
A101C	NA	04-18-06	A316	NA	04-18-06	
A102	NA	04-18-06	A501	NA	04-18-06	
A102A	NA	04-18-06	A502	NA	04-18-06	
A102B	NA	04-18-06	A503	NA	04-18-06	
A102C	NA	04-18-06	A504	NA	04-18-06	
A103	NA	04-18-06	A505	NA	04-18-06	
A201	NA	04-18-06	A506	NA	04-18-06	
A202	NA	04-18-06	A507	NA	04-18-06	
A203	NA	04-18-06	A508	NA	04-18-06	
A204	NA	04-18-06	A601	NA	04-18-06	
A301	NA	04-18-06	A602	NA	04-18-06	
A302	NA	04-18-06	A603	NA	04-18-06	
A303	NA	04-18-06	A604	NA	04-18-06	
A304	NA	04-18-06	A701	NA	04-18-06	
A305	NA	04-18-06	A702	NA	04-18-06	
A306	NA	04-18-06	A703	NA	04-18-06	
A307	NA	04-18-06	A704	NA	04-18-06	
A308	NA	04-18-06	A705	NA	04-18-06	
A309	NA	04-18-06	A706	NA	04-18-06	
A310	NA	04-18-06	A707	NA	04-18-06	
A311	NA	04-18-06	-		_	
A312	NA	04-18-06	-	_	-	

THIS SHOP DRAWING WAS GENERATED FROM THE FOLLOWING STRUCTURAL DRAWING SHEETS AND

	55					
STRUCTURAL	REVISIONS		STRUCTURAL	REVISIONS		
SHEET:	NA	NA	SHEET:	NA	NA	
(0)	NONE PROVIDE	D NA	(0)	NONE PROVIDEI	D NA	

DOOR HARDWARE:

ALL DOOR HARDWARE IS BY OTHERS UNLESS NOTED OTHERWISE DOOR HARDWARE SETS LISTED BELOW ARE FOR REFERENCE ONLY

NOTE FOR HARDWARE BY OTHERS:

IT IS RESPONSIBILITY OF THE DOOR HARDWARE SUPPLIER TO DETERMINE IF THE DOOR HARDWARE BEING SUPPLIED IS COMPATIBLE WITH THE DOOR(S) AND/OR FRAMING SHOWN ON THIS SHOP DRAWING. ALL APPLICABLE PHYSICAL HARDWARE AND/OR MOUNTING TEMPLATES, LOCATIONS AND SCHEDULES MUST BE DELIVERED TO KAWNEER FOR PREPARATION AND/OR FABRICATION INTO THE ALUMINUM DOOR(S) AND/OR FRAMING. PLEASE MAKE ONE COMPLETE SHIPMENT ONLY.

**HARDWARE SET #01: EACH PAIR OF DOORS SHALL RECEIVE THE FOLLOWING... (2) EACH CONTINUOUS HINGE ASSY'S (McKINNEY #MCK-12HD X LAR-CLEAR) (1) EACH REMOVABLE MULLION (CORBIN RUSSWIN #710 KM M57 M96) (2) EACH SURFACE MOUNTED DOOR CLOSERS (NORTON #UNI-7500 H-689) (2) EACH PLATES (NORTON #7788-689) (1) EACH RIM EXIT DEVICE (CORBIN RUSSWIN #ED4200S X K157 X 6P M52-630) (1) EACH RIM EXIT DEVICE (CORBIN RUSSWIN #ED4200S M52-630) (3) EACH MORTISE CYLINDERS (CORBIN RUSSWIN #1080-114-A02-6 CT6 MK-626) (1) EACH RIM CYLINDER (CORBIN RUSSWIN #3080-178-6 MK CT6-626) (2) EACH DOOR PULLS (TRIMCO #1191-4-N-MD-630) (1) EACH THRESHOLD (ZERO #655A X LAR X 1/4-20 MS&ES) (2) EACH BOTTOM RAIL SWEEPS (ZERO #8198A X LAR) (1) EACH RAIN DRIP (ZERO #142A X OP+4")

HARDWARE AS SUPPLIED BY KAWNEER (1) SET OF DOOR FRAME WEATHERSTRIPPING AT THE HEAD AND JAMBS ONLY (KAWNEER STANDARD)

(2) SETS OF SNAP ON GLAZING BEADS FOR 1" GLASS (KAWNEER STANDARD)

**HARDWARE SET #02: EACH SINGLE DOOR SHALL RECEIVE THE FOLLOWING... (1) EACH CONTINUOUS HINGE ASSY'S (McKINNEY #MCK-12HD X LAR-CLEAR) (1) EACH SURFACE MOUNTED DOOR CLOSER (NORTON #UNI-7500 H-689) (1) EACH PLATE (NORTON #7788-689) (1) EACH RIM EXIT DEVICE (CORBIN RUSSWIN #ED4200S X K157 X 6P M52-630) (1) EACH RIM CYLINDER (CORBIN RUSSWIN #3080-178-6 MK CT6-626) (1) EACH DOOR PULL (TRIMCO #1191-4-N-MD-630) (1) EACH THRESHOLD (ZERO #655A X LAR X 1/4-20 MS&ES) (1) EACH BOTTOM RAIL SWEEPS (ZERO #8198A X LAR) (1) EACH RAIN DRIP (ZERO #142A X OP+4")

HARDWARE AS SUPPLIED BY KAWNEER (1) SET OF DOOR FRAME WEATHERSTRIPPING AT THE HEAD AND JAMBS ONLY (KAWNEER STANDARD)

(1) SET OF SNAP ON GLAZING BEADS FOR 1" GLASS (KAWNEER STANDARD)

**HARDWARE SET #03: EACH PAIR OF DOORS SHALL RECEIVE THE FOLLOWING... (2) EACH CONTINUOUS HINGE ASSY'S (McKINNEY #MCK-12HD X LAR-CLEAR) (1) EACH REMOVABLE MULLION (CORBIN RUSSWIN #710 KM M57 M96) (2) EACH SURFACE MOUNTED DOOR CLOSERS (NORTON #UNI-7500 H-689) (2) EACH PLATES (NORTON #7788-689) (2) EACH RIM EXIT DEVICES (CORBIN RUSSWIN #ED4200S M52-630) (3) EACH MORTISE CYLINDERS (CORBIN RUSSWIN #1080-114-A02-6 CT6 MK-626) (2) EACH DOOR PULLS (TRIMCO #1191-4-N-MD-630) (1) EACH THRESHOLD (ZERO #655A X LAR X 1/4-20 MS&ES) (2) EACH BOTTOM RAIL SWEEPS (ZERO #8198A X LAR) (1) EACH RAIN DRIP (ZERO #142A X OP+4")

HARDWARE AS SUPPLIED BY KAWNEER (1) SET OF DOOR FRAME WEATHERSTRIPPING AT THE HEAD AND JAMBS ONLY (KAWNEER

(2) SETS OF SNAP ON GLAZING BEADS FOR 1" GLASS (KAWNEER STANDARD)

××HARDWARE SET #04: EACH PAIR OF DOORS SHALL RECEIVE THE FOLLOWING...

(2) EACH CONTINUOUS HINGE ASSY'S (McKINNEY #MCK-12HD X LAR-CLEAR) (2) EACH SURFACE MOUNTED DOOR CLOSERS (NORTON #UNI-7500 H-689)

(2) EACH PLATES (NORTON #7788-689)

(2) EACH DUMMY BARS (CORBIN RUSSWIN #ED5000DB-630)

(2) EACH DOOR PULLS (TRIMCO #1191-4-N-MD-630)

HARDWARE AS SUPPLIED BY KAWNEER (1) SET OF DOOR FRAME WEATHERSTRIPPING AT THE HEAD AND JAMBS ONLY (KAWNEER STANDARD)

(2) SETS OF SNAP ON GLAZING BEADS FOR 1/4" GLASS (KAWNEER STANDARD)

**HARDWARE SET #10: EACH PAIR OF DOORS SHALL RECEIVE THE FOLLOWING...

(2) EACH CONTINUOUS HINGE ASSY'S (McKINNEY #MCK-12HD X LAR-CLEAR)

(1) EACH REMOVABLE MULLION (CORBIN RUSSWIN #710 KM M57 M96)

(2) EACH SURFACE MOUNTED DOOR CLOSERS (NORTON #UNI-7500 H-689)

(2) EACH PLATES (NORTON #7788-689) (1) EACH RIM EXIT DEVICE (CORBIN RUSSWIN #ED4200S X K157 X 6P M52-630)

(1) EACH RIM EXIT DEVICE (CORBIN RUSSWIN #ED4200S M52-630)

(3) EACH MORTISE CYLINDERS (CORBIN RUSSWIN #1080-114-A02-6 CT6 MK-626) (1) EACH RIM CYLINDER (CORBIN RUSSWIN #3080-178-6 MK CT6-626)

(2) EACH DOOR PULLS (TRIMCO #1191-4-N-MD-630)

HARDWARE AS SUPPLIED BY KAWNEER (1) SET OF DOOR FRAME WEATHERSTRIPPING AT THE HEAD AND JAMBS ONLY (KAWNEER

STANDARD)

(2) SETS OF SNAP ON GLAZING BEADS FOR 1" GLASS (KAWNEER STANDARD)

**HARDWARE SET #36: EACH SINGLE DOOR SHALL RECEIVE THE FOLLOWING...

(3) EACH BUTT HINGE ASSY'S (McKINNEY #T4A3786 4 1/2 X 4 1/2-26D) (1) EACH SURFACE MOUNTED DOOR CLOSER (NORTON #8501-689)

(1) EACH SECURITY LOCK (TRIMCO #ML2072 PSA CT6 MK-626)

(1) EACH KICK PLATE (TRIMCO #KO050 8" X 2" LDW B4E-630)

(1) EACH MOP PLATE (TRIMCO #KM050 6" X 1" LDW B4E-630) (1) EACH WALL BUMPER (TRIMCO #1270WVCK-630)

(1) EACH DOOR SEAL (ZERO #188SBK)

HARDWARE AS SUPPLIED BY KAWNEER

(1) SET OF DOOR FRAME WEATHERSTRIPPING AT THE HEAD AND JAMBS ONLY (KAWNEER

STANDARD)

(1) SET OF SNAP ON GLAZING BEADS FOR 1/4" GLASS (KAWNEER STANDARD)

A135B1	1	500 HW	PAIR	RH/LH	72" x 84"	1	В	SEE ELEVATION "W"
A136A1	1	500 HW	PAIR	RH/LH	72" x 84"	4	E	SEE ELEVATION "X"
A136B1	1	500 HW	PAIR	RH/LH	72" x 84"	1	В	SEE ELEVATION "W"
B1181	1	500 HW	PAIR	RH/LH	72" x 84"	4	E	SEE ELEVATION "B1"
B118A1	1	500 HW	PAIR	RH/LH	72" x 84"	1	В	SEE ELEVATION "A1"
B1321	1	500 HW	PAIR	RH/LH	72" x 84"	4	E	SEE ELEVATION "Z"
B132A1	1	500 HW	PAIR	RH/LH	72" x 84"	1	В	SEE ELEVATION "Y"
B1331	1	500 HW	PAIR	RH/LH	72" x 84"	4	E	SEE ELEVATION "Z"
B133A1	1	500 HW	PAIR	RH/LH	72" x 84"	1	В	SEE ELEVATION "Y"
C1001	1	500 HW	PAIR	RH/LH	72" x 84"	4	E	SEE ELEVATION "T"
C1002	1	500 HW	PAIR	RH/LH	72" x 84"	4	E	SEE ELEVATION "T"
C100A1	1	500 HW	PAIR	RH/LH	72" x 84"	1	В	SEE ELEVATION "Q1"
C100A2	1	500 HW	PAIR	RH/LH	72" x 84"	3	В	SEE ELEVATION "Q1"
C1011	1	500 HW	PAIR	RH/LH	72" x 84"	10	E	SEE ELEVATION "N1"

46 1/2" x 84"

36

4

36

36

HARDWARE GLASS TYPE NOTES AND COMMENTS

SEE ELEVATION "V"

SEE ELEVATION "V"

SEE ELEVATION "U"

SEE ELEVATION "U"

SEE ELEVATION "01"

SEE ELEVATION "X"

SEE ELEVATION "L1"

SEE ELEVATION "P1"

SEE ELEVATION "F1"

SEE ELEVATION "C1"

SEE ELEVATION "U1"

ALUMINUM DOOR SCHEDULE

DOOR QTY DOOR PAIR OR RIGHT OR DOOR OPENING (D.O.)
NUMBER STILE SINGLE LEFT HAND SIZE, WIDTH X HEIGHT

C1012 | 1 | 500 HW | PAIR | RH/LH | 72" x 84"

C1013 | 1 | 500 HW | SINGLE | RH | 36" x 84"

C1091 | 1 | 500 HW | SINGLE | LH INSWING | 36" x 84"

C1202 | 1 | 500 HW | SINGLE | RH INSWING | 36" x 84"

D1022 | 1 | 500 HW | SINGLE | LH

A1001 | 1 | 500 HW | PAIR | RH/LH | 72" x 84"

A1002 | 1 | 500 HW | PAIR | RH/LH | 72" x 84"


A100A1 | 1 | 500 HW | PAIR | RH/LH | 72" x 84"


A100A2 | 1 | 500 HW | PAIR | RH/LH | 72" x 84"


A1011 1 500 HW SINGLE RH INSWING 36" x 84"


A135A1 | 1 | 500 HW | PAIR | RH/LH | 72" x 84"


PRINCE STREET ELEMENTRAY PHASE 2 SCALE: AS NOTED DETAILS 1/2 SIZE SHEET #:
















































PRINCE STREET ELEMENTRAY PHASE 2 SCALE: AS NOTED DETAILS 1/2 SIZE SHEET #:



TYPICAL GLASS TYPE AT THIS

ELEVATION UNLESS NOTED OTHERWISE

23 1/8^T, D.L.O.

23 3/16^T" D.L.O.

(EQŲAL)

FINISH: SEE GENERAL NOTES

DOOR(S) TYPE: NONE

FRAMING TYPE: VG 450 CP 1 3/4" x 4 1/2"

, 1 REQ'D THUS


SCALE: 1/4" = 1'-0"

REF. ARCH. ELEV.: SF18/A603

SLAB |

→ 36 1/2" F.S.

→ 36 1/2" R.O.



TYPICAL GLASS TYPE AT THIS

OPERABLE VENT: KAWNEER GLASSVENT PROJECT-OUT

FINISH: SEE GENERAL NOTES

REF. ARCH. ELEV.: SF16/A603

DOOR(S) TYPE: NONE

FRAMING TYPE: VG 451T CP 2" x 4 1/2"

/ SCALE: 1/4" = 1'-0"

REQ'D THUS


ELEVATION UNLESS NOTED OTHERWISE

TYPICAL MUNTIN GRID SPACING AT EACH D.L.O., AT EACH ELEVATION WHERE THEY OCCUR


SLAB


1/4" - 1/4"


28 1/2" R.O.











































VERIFY ALL DIMENSIONS














































































































4 SHIMS AS NEEDED (PLASTIC OR CEDAR)
5 INTERMITTENT FILLER PLATES (AS
NEEDED FOR SHIMMING AND ANCHORING)
6 PERIMETER CAULK (AS SPECIFIED)
7 BEDDING CAULK (AS SPECIFIED)
8 ETHAFOAM BACKING ROD OR DENVER

10 .040" ALUMINUM TRIM (TO MATCH
SYSTEM FINISH)
11 DOUBLE BACK FOAM TAPE (AS NEEDED)
12 NEUTRAL CURE SILICONE (COLOR AS

11 DOUBLE BACK FOAM TAPE (AS NEEDEI
12 NEUTRAL CURE SILICONE (COLOR AS REQUIRED)
17 ACCESS HOLE
20 C.M.U. BY OTHERS

20 C.M.U. BY OTHERS
21 BRICK VENEER BY OTHERS
22 WOOD BLOCKING BY OTHERS
23 GYPSUM WALLBOARD BY OTHERS
24 SHEATHING BY OTHERS

25 INSULATION BY OTHERS26 THROUGH WALL FLASHING BY OTHERS27 STEEL BY OTHERS

28 STEEL STUD FRAMING BY OTHERS
29 SLAB BY OTHERS

29 SLAB BY OTHERS
32 PRECAST CONCRETE BY OTHERS
34 STOOL BY OTHERS

35 SEALANT BY OTHERS
36 EXPANSION JOINT BY OTHERS
37 J-TRIM OR CORNER BEAD BY OTHER

37 J-TRIM OR CORNER BEAD BY OTHERS
41 VERIFY THE CONFIGURATION AND
COMPOSITION OF THE PERIMETER
CONSTRUCTION, COORDINATE WITH THI

CONSTRUCTION. COORDINATE WITH THE G.C. FOR A PROPER INSTALLATION.

42 VERIFY THE FASTENER TYPE, SIZE AND LENGTH BASED ON THE PERIMETER CONSTRUCTION CONFIGURATION AND

COMPOSITION.

43 VERIFY THE REVEAL/SETBACK
DIMENSION BASED ON THE
CONFIGURATION OF THE PERIMETER
CONSTRUCTION

51 CONTINUOUS HINGE BY OTHERS (VERIFY CLEARANCE REQUIRED)
55 THRESHOLD BY OTHERS (VERIFY

CLEARANCE REQUIRED)

57 ROOF MEMBRANE BY OTHERS

59 COPING AND ATTACHMENT BY OTHERS

60 CONCRETE WALK BY OTHERS
62 PANEL SYSTEM BY OTHERS

63 ALUMINUM ANGLE, SIZE AND THICKNESS

TO SUIT OR AS SHOWN

66 SOFFIT SYSTEM BY OTHERS

67 STEEL WINDLOAD CLIP

72 REMOVEABLE MULLION AND
ATTACHMENTS BY OTHERS

74 ALUMINUM TRIM BY OTHERS

75 ALL EXISTING CONSTRUCTION SHOWN
DASHED

DASHED

76 ROUT AS NEEDED

77 METAL PANEL TRIM BY OTHERS


78 METAL ROOF DECK BY OTHERS
79 ALUMINUM CANOPY FLASHING AND


SEALANT BY OTHERS

80 CANOPY BEAM BY OTHERS

81 ROOF COUNTER FLASHING BY OTHERS

PRINCE STREET
ELEMENTRAY
PHASE 2
SCALE: AS NOTED
DETAILS 1/2 SIZE
SHEET #:





4 SHIMS AS NEEDED (PLASTIC OR CEDAR) 5 INTERMITTENT FILLER PLATES (AS NEEDED FOR SHIMMING AND ANCHORING)

6 PERIMETER CAULK (AS SPECIFIED) 7 BEDDING CAULK (AS SPECIFIED) 8 ETHAFOAM BACKING ROD OR DENVER 10 .040" ALUMINUM TRIM (TO MATCH SYSTEM FINISH) 11 DOUBLE BACK FOAM TAPE (AS NEEDED) 12 NEUTRAL CURE SILICONE (COLOR AS REQUIRED) 17 ACCESS HOLE 20 C.M.U. BY OTHERS 21 BRICK VENEER BY OTHERS 22 WOOD BLOCKING BY OTHERS 23 GYPSUM WALLBOARD BY OTHERS 24 SHEATHING BY OTHERS 25 INSULATION BY OTHERS 26 THROUGH WALL FLASHING BY OTHERS 27 STEEL BY OTHERS 28 STEEL STUD FRAMING BY OTHERS 29 SLAB BY OTHERS 32 PRECAST CONCRETE BY OTHERS 34 STOOL BY OTHERS 35 SEALANT BY OTHERS 36 EXPANSION JOINT BY OTHERS 37 J-TRIM OR CORNER BEAD BY OTHERS 41 VERIFY THE CONFIGURATION AND COMPOSITION OF THE PERIMETER CONSTRUCTION. COORDINATE WITH THE G.C. FOR A PROPER INSTALLATION. 42 VERIFY THE FASTENER TYPE, SIZE AND LENGTH BASED ON THE PERIMETER CONSTRUCTION CONFIGURATION AND COMPOSITION. 43 VERIFY THE REVEAL/SETBACK DIMENSION BASED ON THE CONFIGURATION OF THE PERIMETER CONSTRUCTION 51 CONTINUOUS HINGE BY OTHERS (VERIFY CLEARANCE REQUIRED) 55 THRESHOLD BY OTHERS (VERIFY CLEARANCE REQUIRED) 57 ROOF MEMBRANE BY OTHERS 59 COPING AND ATTACHMENT BY OTHERS 60 CONCRETE WALK BY OTHERS 62 PANEL SYSTEM BY OTHERS 63 ALUMINUM ANGLE, SIZE AND THICKNESS TO SUIT OR AS SHOWN 66 SOFFIT SYSTEM BY OTHERS 67 STEEL WINDLOAD CLIP 72 REMOVEABLE MULLION AND ATTACHMENTS BY OTHERS 74 ALUMINUM TRIM BY OTHERS 75 ALL EXISTING CONSTRUCTION SHOWN DASHED

76 ROUT AS NEEDED

77 METAL PANEL TRIM BY OTHERS
78 METAL ROOF DECK BY OTHERS
79 ALUMINUM CANOPY FLASHING AND

81 ROOF COUNTER FLASHING BY OTHERS

SEALANT BY OTHERS

80 CANOPY BEAM BY OTHERS

PRINCE STREET
ELEMENTRAY
PHASE 2
SCALE: AS NOTED
DETAILS 1/2 SIZE
SHEET #: